



**Height Adjustable Mounts**  
BalanceBox® and e-Box®



# Product specifications

Let's move your screen.

# Get in touch with us



**Bart Vierhout - EMEA | Asia | Oceania**

E - [b.vierhout@thomasregout.com](mailto:b.vierhout@thomasregout.com)  
T - +31 (0) 6 46108714



**Moshtaba Heidarzadeh - Germany**

E - [m.heidarzadeh@thomasregout.com](mailto:m.heidarzadeh@thomasregout.com)  
T - +49 173 702 8682



**Sandra Verstappen - Sales Support Coordinator**

E - [salesupportrbs@thomasregout.com](mailto:salesupportrbs@thomasregout.com)  
T - +31 (0)43 3516642



**Bram van Luyken - Europe**

E - [b.vanluyken@thomasregout.com](mailto:b.vanluyken@thomasregout.com)  
T - +31 (0) 6 15469264



**Alexander Blochwitz - Germany**

E - [a.blochwitz@thomasregout.com](mailto:a.blochwitz@thomasregout.com)  
T - +49 1522 5721065



**Hannah Mulder - Sales Support Assistant**

E - [salesupportrbs@thomasregout.com](mailto:salesupportrbs@thomasregout.com)  
T - +31 (0)43 3516641






# Discover our manual solutions with our **BalanceBox®** line

Choose green, choose our BalanceBox® 





## BalanceBox® 400


Innovative, manual, durable, fast and safe

- Suitable for displays of 42" - 86"
- Vertical movement up to 400 mm
- Maximum load capacity 95 kg
- Compact, sustainable design
- Easy and fast movement with a touch of your finger, no electricity needed
- Certification CE | TÜV (EN 62368) | UL 60950



BalanceBox® 400

Universal VESA Bracket



## Floor Support II for BalanceBox® 400

Safe and secure installation to non-supportive walls

- Optimal weight distribution to the floor
- Maximum mounting height 2109 mm
- Maximum total load capacity 125 kg
- Secure mounting with no compromise in safety
- Choose any height for your screen by adding the BalanceBox® 400
- Certification CE | TÜV (EN 62368) | UL 60950




Floor Support 400



BalanceBox® 400


Universal VESA Bracket



## Mobile Stand Mix®

Add flexibility and mobility to your screen

- Fast assembly
- Suitable for displays up to 86"
- Maximum load capacity: 125 kg
- 4 wheels diameter: 75mm; 2 with brake
- Fixed height possibilities (high or low position)
- Choose any height for your screen by adding the BalanceBox® 400
- Certification CE | TÜV (EN 62368) | UL 60950



Mobile Stand Mix®





BalanceBox® 400

Universal VESA Bracket

## BalanceBox® 650-II

Innovative, manual, durable, fast and safe

- Suitable for displays of 65" - 98"
- Vertical movement up to 650 mm
- Maximum total load capacity 162 kg
- Easy movement with only a light touch of your finger, no electricity needed
- Certification CE | TÜV (EN 62368)





BalanceBox® 650

Universal VESA Bracket

## Floor Support II for BalanceBox® 650

Safe and secure installation to non-supportive walls

- Optimal weight distribution to the floor
- Maximum total load capacity 292,5 kg
- Standard height 2306 mm
- Reliable with no compromise in safety
- Choose any height for your screen by adding the BalanceBox® 650
- Certification CE | TÜV (EN 62368)



Floor Support 650


BalanceBox® 650

Universal VESA Bracket

## Mobile Stand for BalanceBox® 650

Add flexibility and mobility to your screen

- Suitable for displays up to 98" diagonal
- Maximum load capacity 396.83 lbs
- 4 wheels diameter 4.92"; 2 with brake
- Robust construction & innovative wheel design
- Choose any height for your screen by adding the BalanceBox® 650
- Certification CE | TÜV (EN 62368)



Mobile Stand

BalanceBox® 650

Universal VESA Bracket

## BalanceBox® Winx® 4b

Bring writing back to the classroom: combine the best of touch panel technology with the powerful functionalities of traditional whiteboards in one ultimate solution.

- 2 double-sided white enameled (magnetic) whiteboards\*
- Maximum load capacity 220 kg
- Two standard sizes 70-75" and 80-86"
- Fast and easy assembly
- Compatible with all touch panel brands
- Certification CE



\*whiteboards available separately in a variety of options

# The ultimate solution.






**Discover our motorized solutions  
with our e-Box<sup>®</sup> line**







### e-Box® II Wall Mount

Always at the right height with the touch of a button


- Motorized - Speed 23 mm/ sec
- Vertical travel 650 mm
- Maximum screen size 98"
- Maximum total load capacity 200 kg
- Certification CE and UL 962 and UL 62368
- Prevent accidental pinching: the system automatically stops and reverses when it detects an obstruction



e-Box® II Wall Mount



Universal VESA Bracket  
*(or use Third Party VESA Bracket)*



### e-Box® II Mobile Stand

Add flexibility and mobility to your screen

- Motorized - Speed 38 mm/ sec
- Vertical travel 650 mm
- Maximum screen size 98"
- Maximum total load capacity 140 kg
- Certification CE and UL 962 and UL 62368
- Prevent accidental pinching: the system automatically stops and reverses when it detects an obstruction



e-Box® II Mobile Stand



Universal VESA Bracket  
*(or use Third Party VESA Bracket)*



90°

### e-Box® Tilt & Table

Move your screen in any direction, anywhere you want

- Motorized - Speed 38 mm/ sec
- 90 degrees from vertical to horizontal
- Maximum screen size 75"
- Maximum total load capacity 100 kg
- Tavel distance 26" (horizontal 28" to 54"; vertical 26.2" to 52.2")
- Certification CE and UL 962
- Prevent accidental pinching: the system automatically stops and reverses when it detects an obstruction



e-Box® Tilt & Table



e-Box® Universal  
Adapter Set

**BalanceBox®  
Mobile Stand Base**



**Just Support.**  
Simple, Sturdy, Safe



## BalanceBox® Mobile Stand Base


Simple, Sturdy, Safe: Just Support.

The Mobile Stand Base is designed for essential functionality, making it a key component for any workspace. It offers a perfect balance between functionality and affordability, enhancing your work environment effortlessly.


- 3 Fixed mounting height settings - Range from 57" - 67"
- Compatible with displays up to 86 inch
- Maximum load capacity 264 lb
- Compatible with all touch panel brands
- Fast and easy assembly
- Straightforward and practical



BalanceBox® Mobile Stand Base



3 Fixed mounting height settings  
Range from 57" - 67"




Compatible with displays up to 86 inch  
Max load 264 lb



Backview

Easy and quick assembly



VESA mount included  
Sizes 200x200 up to 800x600

Pen / laptop tray full width

Easy panel access, inclusive for  
wheelchair users

4"/ 100 mm diameter  
lockable casters

INCLUDING all necessary hardware for a hassle-free assembly

# BalanceBox® PowerPack



**Go Cordless!**  
Power Anytime, Anywhere



## BalanceBox® PowerPack

Go Cordless! Power - Anytime, Anywhere.

The BalanceBox PowerPack is an innovative solution providing off-grid mobile power for interactive displays in almost any location.

- Lockable steel housing with convenient storage for charging cable
- Versatile compatibility
- Easy assembly, easy to use
- Output - 1,000W Rated Power
- Large capacity - 864 wH
- 45 Mins to 80% 950W Turbo Charging
- LiFePO<sub>4</sub> Battery 3,000+ Safe Cycles 8
- 8 Versatile ports - Power for All Your Needs
- Portable Power Station - UL and CE certified
- App control - Easy & Remote Control on your smart phone



### PowerPack Mounting Options



Mobile Stand Mix®



e-Box® II Mobile Stand



e-Box® Tilt & Table



e-Box® Tilt & Table with XL Wheels



### BalanceBox® 400

Light 23 - 43 kg 480A13  
Medium 41 - 69 kg 480A12  
Heavy 66 - 95 kg 480A14



### BalanceBox® 650-II

Light 34 - 68 kg 484A17  
Medium 67 - 127 kg 484A18  
Heavy 94 - 162 kg 484A19



### Floor Support II for BalanceBox® 400

481A43001




### Floor Support II for BalanceBox® 650

481A14001



### Mobile Stand Mix®

481A71001



### Mobile Stand for BalanceBox® 650

481A50





**e-Box® II  
Wall Mount**

487A12011



**Universal VESA  
Bracket**

481A70



**BalanceBox®  
Mobile Stand Base**

481A98001



**e-Box® II  
Mobile Stand**

487A11011



**Winx® 4b\***

For 70" - 75" 481A82  
For 80" - 86" 481A83



\*whiteboards available separately  
in a variety of options

**BalanceBox®  
PowerPack**

\*PowerPack bundles can be  
easily ordered using a single part  
number.

Visit our website for more  
information.



**e-Box®  
Tilt & Table**

487A03



**e-Box® Universal  
Adapter Set**

481A117



**Regout Balance Systems B.V.**

Industrieweg 40  
6219 NR Maastricht  
The Netherlands

[balancebox@thomasregout.com](mailto:balancebox@thomasregout.com)

+31 (0)43 351 66 01



[www.heightadjustablemounts.com](http://www.heightadjustablemounts.com)

let's move your screen